

Data Sheet

Decorative material, artificial plants and thermoplastic polymer (polystyrene)

1. Contact person

Leipziger Messe GmbH
Technical Event Management Department (TI-VT)

Messe Allee 1
04356 Leipzig

Tel.: 0341 / 678 - 9906
E-Mail: veranstaltungstechnik@leipziger-messe.de

This department coordinates all required boundary conditions with the company's project manager.

2. Application area and principles

This data sheet applies solely to the premises of Leipziger Messe GmbH. Decorative material must be at minimum B1 pursuant to DIN 4102, or at minimum Class C s3,d0 flame-resistant. This also applies to artificial plants in particular.

2.1. Use of decorative material and artificial plants at the trade fair stand

A test certificate for building material class B1 or Class C s3,d0 (flame-resistant) must be held available at the trade fair stand if decorative materials and artificial plants are used at the stand.

A certificate may be obtained in preparation for the event for professionally impregnated materials.

The impregnation must be carried out by the exhibitors themselves. The certificate must be held available at the stand.

2.2. References

The decorative material or artificial plants must be removed from the trade fair hall if a test certificate is not available.

Natural flower decorations or plants may be ordered from Fairnet (order form S14 "Flowers", or by telephone at 0341 / 678 - 8470) or through the Last Minute Service.

As a basic rule, exhibition booths must not contain or use any materials that are easily inflammable, form burning droplets or toxic gases or dense smoke, such as most thermoplastics, including polystyrene (Styrofoam). Polystyrene and similar must not be used, even if an official certificate can be submitted. If exhibits are made of such materials, Leipziger Messe must be consulted to determine quantities, and whether a permission is possible.

Natural deciduous trees and shrubs and conifers may only be used with moist root balls.

Natural materials, such as bark mulch, must be kept moist on a daily basis.

Untreated bamboo, reed, straw, wood pellets, peat and similar do not meet the requirements.

A hole must be drilled in each chamber of a bamboo cane.